

AXOR Urquiola
Thermostat HighFlow for concealed installation
 Finish: **Chrome** Article Number: **11731000**



product features

- thermostat cartridge
- maximum flow rate at 3 bar: 59 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- connection type: basic set
- This product is not available in the AXOR FinishPlus surfaces Polished and Brushed Black Chrome.


Technology



Product image




Scale drawing



AXOR Urquiola
Thermostat HighFlow for concealed installation
 Finish: **Chrome** Article Number: **11731000**



Flowchart




AXOR Urquiola
Thermostat HighFlow for concealed installation
 Finish: **Chrome** Article Number: **11731000**



Exploded Drawing

Year of production: >02/12



AXOR Urquiola
Thermostat HighFlow for concealed installation
 Finish: **Chrome** Article Number: **11731000**



Spare part list

Year of production: >02/12

Pos.		Article Number	PC	PU
1	handle for thermostat	11791000	18	1
2	hollow set screw M5x16	97666000	1	1
3	adapter for handle	96435000	6	1
4	escutcheon	95173000	13	1
5	O-Ring 48x3	95508000	1	1
6	sleeve	97439000	9	1
7	holder for escutcheon	98793000	9	1
8	set of fixing screws	96454000	3	1
9	thermostat cartridge	96633000	15	1
10	sealing set	96636000	10	1
11	set of screws	96525000	3	1
12	O-ring 16x2	98133000	1	1
13	set of non return valves DW 15	97350000	6	1
14	filter	98513000	1	1
15	extension 25 mm	13595000	99	1
16	set of fixing screws	97747000	1	1
17	extension 22 mm	98860000	99	1
18	escutcheon height = 33 mm (when wall is not deep enough).	14971000	99	1
a	concealed item	01800180	99	1
b	adapter for exchanged connections	93181000	18	1