

AXOR Urquiola
Thermostat for concealed installation with shut-off valve
 Finish: **Chrome** Article Number: **11732000**



product features

- 1 function
- thermostat cartridge, ceramic valves 90°
- maximum flow rate at 3 bar: 26 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- connection type: basic set
- This product is not available in the AXOR FinishPlus surfaces Polished and Brushed Black Chrome.


Technology



Product image




Scale drawing



AXOR Urquiola
Thermostat for concealed installation with shut-off valve
 Finish: **Chrome** Article Number: **11732000**



Flowchart




AXOR Urquiola
Thermostat for concealed installation with shut-off valve
 Finish: **Chrome** Article Number: **11732000**



Exploded Drawing

Year of production: >02/12



AXOR Urquiola
Thermostat for concealed installation with shut-off valve
 Finish: **Chrome** Article Number: **11732000**



Spare part list

Year of production: >02/12

Pos.		Article Number	PC	PU
1	handle for thermostat	11791000	18	1
2	handle	95176000	16	1
3	hollow set screw M4x8	97669000	1	1
4	screw cover	95181000	1	1
5	adapter for handle	96435000	6	1
6	adapter for handle	95252000	11	1
7	handle fixing set	98932000	5	1
8	escutcheon	95189000	13	1
9	O-Ring 48x3	95508000	1	1
10	O-ring 29x3	98371000	2	1
11	sleeve	96439000	9	1
12	sleeve	96446000	8	1
13	holder for escutcheon	98793000	9	1
14	set of fixing screws	96454000	3	1
15	installation unit cpl.	92760000	18	1
16	thermostat cartridge	94282000	15	1
17	sealing set	95037000	10	1
18	shut off unit right closing	96350000	10	1
19	set of screws	96525000	3	1
20	O-ring 16x2	98133000	1	1
21	noise reduction	94073000	7	1
22	set of non return valves DW 15	94074000	5	1
23	extension 25 mm	13595000	98	1
24	set of fixing screws	97747000	1	1
25	extension 22 mm	98860000	98	1
26	escutcheon height = 33 mm (when wall is not deep enough).	14974000	98	1
27	non return valve (pressure-resistant up to 2 MPa)	92594000	5	1
a	concealed item	01800180	98	1
b	adapter for exchanged connections	93181000	18	1
c	fixation set	96615000	98	1
d	non return valve with filter	92499000	5	1