

AXOR Starck Organic
Thermostatic mixer for concealed installation with shut-off / diverter valve
 Finish: **Chrome** Art. no. : **12716000**



product features

- designed to run 2 outlets
- thermostat cartridge, shut-off/ diverter valve
- Installation type: concealed installation
- Maximum flow rate (at 3 bar): 29 l/min
- Flow rate upper outlet (at 3 bar): 25 l/min
- Flow rate lower outlet (at 3 bar): 29 l/min
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar
- Safety stop at 40°C
- Maximum temperature can be adjusted on installation
- Non-return valve
- Connection type: basic set
- Noise class: I
- WRAS 1909088

Article Details

Price excl. VAT

£ 758.33

Technology




Certificates / Sustainability



Product image




Scale drawing



AXOR Starck Organic
Thermostatic mixer for concealed installation with shut-off / diverter valve
 Finish: **Chrome** Art. no. : **12716000**



Flowchart




AXOR Starck Organic
Thermostatic mixer for concealed installation with shut-off / diverter valve
 Finish: **Chrome** Art. no. : **12716000**



Exploded Drawing

Year of production: >11/12



AXOR Starck Organic
Thermostatic mixer for concealed installation with shut-off / diverter valve
 Finish: **Chrome** Art. no. : **12716000**



Spare part list

Year of production: >11/12

Pos.		Art. no.	Price	PU
1	handle for thermostat	98313000	-	1
2	adapter for handle	96435000	-	1
3	handle	98316000	-	1
4	hollow set screw M4x8	97669000	-	1
5	adapter for handle	95256000	-	1
6	escutcheon	98326000	-	1
7	O-Ring 48x3	95508000	-	1
8	O-ring 29x3	98371000	-	1
9	sleeve	96439000	-	1
10	sleeve	95253000	-	1
11	holder for escutcheon	98793000	-	1
12	set of fixing screws	96454000	-	1
13	thermostat cartridge	94282000	-	1
14	sealing set	95037000	-	1
15	shut off unit with selector	98283000	-	1
16	nut	95255000	-	1
17	O-ring 39x2	98158000	-	1
18	set of screws	96525000	-	1
19	installation unit cpl.	92592000	-	1
20	O-ring 16x2	98133000	-	1
21	noise reduction	94073000	-	1
22	set of non return valves DW 15	94074000	-	1
23	extension 25 mm	13595000	-	1
24	set of fixing screws	97747000	-	1
25	extension 22 mm	97407000	-	1
26	extension 10 mm for iBox universal with shut-off unit	92332000	-	1
27	escutcheon height = 33 mm (when wall is not deep enough).	14969000	-	1
28	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
a	concealed item	01800180	-	1
b	adapter for exchanged connections	93181000	-	1
c	non return valve with filter	92499000	-	1
d	fixation set	96615000	-	1
e	pushbutton	92848000	-	1

AXOR Starck Organic
Thermostatic mixer for concealed installation with shut-off / diverter valve
 Finish: **Chrome** Art. no. : **12716000**



Spare part list

Year of production: >11/12

Pos.		Art. no.	Price	PU
f	Grease	90920000	-	1