

AXOR ShowerSolutions

Overhead shower 250 1jet with shower arm

Finish: **Chrome** Article Number: **35284000**



product features

- consists of: overhead shower, shower arm
- shower head size: 250 mm
- spray type: PowderRain
- dynamic spray nozzles move out while using
- material spray disc: metal
- shower arm length 450 mm
- maximum flow rate at 3 bar: 18,1 l/min
- flow rate PowderRain spray (at 3 bar): 18,1 l/min
- function from: 12,5 l/min
- minimum flow pressure: 1,5 bar
- overhead shower removable for cleaning
- ServiceCard with sieve can be removed without tools for cleaning purpose
- installation: wall
- connection thread G ½
- connection dimension: DN15
- suitable for continuous flow water heaters
- pressure: low

Technology



Design awards




reddot winner 2020

red**dot** winner 2021

Product image




Scale drawing



AXOR ShowerSolutions
Overhead shower 250 1jet with shower arm
 Finish: **Chrome** Article Number: **35284000**




Flowchart



AXOR ShowerSolutions
Overhead shower 250 1jet with shower arm
 Finish: **Chrome** Article Number: **35284000**




Installation examples





Year of production: >10/18



AXOR ShowerSolutions
Overhead shower 250 1jet with shower arm
 Finish: **Chrome** Article Number: **35284000**



Spare part list

Year of production: >10/18

Pos.		Article Number	PC	PU
1	mounting set	96179000	4	1
2	wall flange	93455000	12	1
3	O-ring 120x2,5	93399000	2	1
4	connecting thread G½	93419000	11	1
5	adapter for overhead shower	93456000	16	1
6	O-ring 17x1,5	98137000	1	1
7	O-Ring 30x2	98186000	1	1
8	O-ring 15x1,5	92118000	1	1
9	screw	92137000	2	1
10	escutcheon	93400000	13	1
11	shower arm	93404000	21	1
12	screw	93431000	3	1
13	set of screws	93454000	11	1
14	press switch	93401000	6	1
15	filter	93402000	4	1
16	service unit	93403000	13	1
17	head shower	93465000	22	1
18	O-ring 11x2	98127000	1	1
19	O-Ring 28x2	98194000	1	1