

AXOR ShowerSolutions

Overhead shower 300/300 2jet with ceiling connection

Finish: **Chrome** Article Number: **35320000**



product features

- consists of: overhead shower, ceiling connector
- shower head size: 300 x 300 mm
- spray type: PowderRain, Intense PowderRain
- Select button on thermostat
- dynamic spray nozzles move out while using
- material spray disc: metal
- brass ceiling connector
- ceiling connection length: 100 mm
- maximum flow rate at 3 bar: 18 l/min
- flow rate PowderRain spray (at 3 bar): 18 l/min
- flow rate Intense PowderRain (at 3 bar): 17 l/min
- minimum flow pressure: 1,7 bar
- overhead shower removable for cleaning
- ServiceCard with sieve can be removed without tools for cleaning purpose
- installation: ceiling
- connection dimension: DN15
- connection type: basic set
- suitable for continuous flow water heaters

Technology



Design awards



reddot winner 2020



reddot winner 2021


AXOR ShowerSolutions
Overhead shower 300/300 2jet with ceiling connection
 Finish: **Chrome** Article Number: **35320000**




Product image



Scale drawing



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

AXOR ShowerSolutions
Overhead shower 300/300 2jet with ceiling connection
 Finish: **Chrome** Article Number: **35320000**



Exploded Drawing

Year of production: >01/19



AXOR ShowerSolutions
Overhead shower 300/300 2jet with ceiling connection
 Finish: **Chrome** Article Number: **35320000**



Spare part list

Year of production: >01/19

Pos.		Article Number	PC	PU
1	sleeve	92709000	17	1
2	escutcheon 155 / 155 mm	92710000	11	1
3	O-ring 42x3,5	92708000	1	1
4	service unit	93423000	13	1
5	filter	93402000	4	1
a	base body	26434180	99	1
b	extension set	35288000	99	1
c	adapter for exchanged connections	93941000	3	1